

# **FALTUS**

# FALTTÜR TRENNWAND-SYSTEM FOLDING DOOR PARTITION SYSTEM



# **FALTUS**


# FALTTÜR TRENNWAND-SYSTEM FOLDING DOOR PARTITION SYSTEM

### TECHNISCHE DETAILS

- + Faltschiebetür aus hochwertigem Aluminium/Messing
- + Oberfläche silberfarbig eloxiert
- + maximale Wandöffnung 1600 x 2500 mm (# 92021) und 2500 x 2500 mm (# 92001)
- + maximales Anlagengewicht 100 Kg bzw. 160 Kg
- + Glasdicke 10 mm
- + Magnettechnik in Türbändern ermöglicht eine fixe Nullstellung in geschlossener Position ohne zusätzliche Verriegelung
- + barrierefreie Falt-Schiebetür ohne zusätzliche Bodenführung
- + Für die Nutzung mit megla® dynamic glass, steht die Beschlagserie FALTUS e zur Verfügung.


### TECHNICAL DETAILS

- + Folding sliding door out of high-quality aluminum/brass
- + Surface silver-colour anodized
- + Max. wall opening 1600 x 2500 mm (# 92021) and 2500 x 2500 mm (# 92001)
- + Max. weight for fitting set 100 Kg or 160 Kg
- + Glass thickness 10 mm
- + Magnets in the hinges make a zero-point adjustmet possible at a closed position without further latches
- + Barrier-free folding sliding door without floor guide
- + Also available for the use with megla® dynamic glass is the power-conducting FALTUS e.



## # 92001


Beschlagset dreiflügelig Fitting set three-leaf



## # 92001e


Beschlagset dreiflügelig für die Nutzung mit megla® dynamic glass

Fitting set three-leaf for the use with megla® dynamic glass



#### # 92021

Beschlagset zweiflügelig Fitting set two-leaf



### # 92021e

Beschlagset zweiflügeligfür die Nutzung mit megla® dynamic glass

Fitting set two-leaf for the use with megla® dynamic glass











# FALTUS e

FALTTÜR TRENNWAND-SYSTEM MIT MEGLA® DYNAMIC GLASS
FOLDING DOOR PARTITION SYSTEM WITH MEGLA® DYNAMIC GLASS





KL-megla®

Wecostrasse 15 53783 Eitorf, Germany

Phone +49 (0) 2243 - 9 23 00 - 0 Fax +49 (0) 2243 - 9 23 00 - 36 KL-megla® Online

info@KL-megla.de www.KL-megla.de www.shop.KL-megla.de

